

Amendments to the Claims:

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 Claim 1 (original): A pressure sensitive sensor
2 comprising:
3 a central electrode;
4 a pressure sensitive layer;
5 an outer electrode; and
6 a plurality of lead-out wires provided with insulating
7 coating being laminated and formed in a shape of a cable,
8 wherein at a distal end portion at least one of the
9 lead-out wires is connected to the central electrode, and
10 a remaining lead-out wire is connected to the outer
11 electrode.

1 Claim 2 (original): A pressure sensitive sensor
2 comprising:
3 a central electrode;
4 a pressure sensitive layer;
5 an outer electrode; and
6 at least one lead-out wire provided with insulating
7 coating being laminated and formed in a shape of a cable,
8 wherein at a distal end portion either one of the
9 central electrode and the outer electrode is connected to
10 the lead-out wire.

1 Claim 3 (original): The pressure sensitive sensor
2 according to claim 1, wherein the lead-out wires are
3 disposed in close contact with the central electrode.

1 Claim 4 (original): The pressure sensitive sensor
2 according to claim 1, wherein the lead-out wires are
3 disposed in close contact with the outer electrode.

1 Claim 5 (currently amended): The pressure sensitive
2 sensor according to ~~any one of claims 1 to 4~~ claim 1,
3 wherein the lead-out wires have a characteristic that their
4 mechanical strength is greater than that of at least one of
5 the central electrode and the outer electrode.

1 Claim 6 (currently amended): The pressure sensitive
2 sensor according to ~~any one of claims 1 to 5~~ claim 1,
3 further comprising: a protective portion for providing
4 insulation protection for the distal end portion.

1 Claim 7 (currently amended): The pressure sensitive
2 sensor according to ~~any one of claims 1 to 6~~ claim 1,
3 wherein the pressure sensitive layer is formed of a
4 piezoelectric material.

1 Claim 8 (new): The pressure sensitive sensor
2 according to claim 2, wherein the lead-out wires have a
3 characteristic that their mechanical strength is greater
4 than that of at least one of the central electrode and the
5 outer electrode.

1 Claim 9 (new): The pressure sensitive sensor
2 according to claim 2, further comprising: a protective
3 portion for providing insulation protection for the distal
4 end portion.

1 Claim 10 (new): The pressure sensitive sensor
2 according to claim 2, wherein the pressure sensitive layer
3 is formed of a piezoelectric material.